



## Challenger

Collection





## Single Handle Lavatory Faucets

### FEATURES

- ◆ Fits 4" Centers
- ◆ All Brass Waterways
- ◆ Stainless Steel Ball Cartridge
- ◆ Water Saving Aerator
- ◆ Max. Flow Rate 2.2 G.P.M(8.3 L.P.M) at 60PSI
- ◆ cUPC-NSF61-9(ANSI/ASME A112.18.1, CSA B125.1) Approved
- ◆ 100% Factory Pressure Tested Before Shipment



|            |  |
|------------|--|
| FA101430CP | Chrome, Acrylic Handle, less Pop-up                      |
| FA101431CP | Chrome,Acrylic Handle, with Plastic Pop-up               |
| FA101432CP | Chrome, Acrylic Handle, with 50/50 Pop-up                |
| FA101432BN | PVD Brushed Nickel, Acrylic Handle, with 50/50 Pop-up    |
| FA101433CP | Chrome, Acrylic Handle, with Brass Pop-up                |
| FA101433BN | PVD Brushed Nickel,Acrylic Handle, with Brass Pop-up     |
| FA101230CP | Chrome,Metal Lever Handle, less Pop-up                   |
| FA101231CP | Chrome,Metal Lever Handle,with Plastic Pop-up            |
| FA101232CP | Chrome,Metal Lever Handle, with 50/50 Pop-up             |
| FA101232BN | PVD Brushed Nickel,Metal Lever Handle, with 50/50 Pop-up |
| FA101233CP | Chrome,Metal Lever Handle, with Brass Pop-up             |
| FA101233BN | PVD Brushed Nickel,Metal Lever Handle, with Brass Pop-up |

※Various Surface Finishes,Handles,Options are available.Custom-Designs are welcome



## Two Handle Lavatory Faucets

### FEATURES

- ◆ Fits 4" Centers
- ◆ All Brass Waterways
- ◆ Quarter Turn Washerless Cartridges
- ◆ Water Saving Aerator
- ◆ Max. Flow Rate 2.2 G.P.M(8.3 L.P.M) at 60PSI
- ◆ cUPC-NSF61-9(ANSI/ASME A112.18.1, CSA B125.1) Approved
- ◆ 100% Factory Pressure Tested Before Shipment



|            |   |
|------------|---|
| FA103100CP | Chrome, Acrylic Handle, less Pop-up                     |
| FA103101CP | Chrome,Acrylic Handle,with Plastic Pop-up               |
| FA103102CP | Chrome,Acrylic Handle, with 50/50 Pop-up                |
| FA103103CP | Chrome,Acrylic Handle, with Brass Pop-up                |
| FA103270CP | Chrome,Metal Mini Blade Handle, less Pop-up             |
| FA103271CP | Chrome,Metal Mini Blade Handle,with Plastic Pop-up      |
| FA103202CP | Chrome,Metal Mini Blade Handle with 50/50 Pop-up        |
| FA103203CP | Chrome,Metal Mini Blade Handle with Brass Pop-up        |
| FA103060CP | Chrome,Lever Handle, less Pop-up                        |
| FA103061CP | Chrome,Lever Handle,with Plastic Pop-up                 |
| FA103062CP | Chrome,Lever Handle, with 50/50 Pop-up                  |
| FA103063CP | Chrome,Lever Handle, with Brass Pop-up                  |
| FA103310CP | Chrome,Cross Handle, less Pop-up                        |
| FA103311CP | Chrome,Cross Handle,with Plastic Pop-up                 |
| FA103312CP | Chrome,Cross Handle, with 50/50 Pop-up                  |
| FA103313CP | Chrome,Cross Handle,with Brass Pop-up                   |
| FA104200CP | Chrome,ADA Blade Handle,less Pop-up                     |
| FA104204CP | Chrome,ADA Blade Handle, with Fixed Grid P.O.Plug Drain |



White

OAK

Acrylic

## Single Handle Kitchen Faucets



### FEATURES

- ◆ Fits 8" Centers
- ◆ All Brass Waterways
- ◆ Stainless Steel Ball Cartridge
- ◆ Water Saving Aerator
- ◆ Max. Flow Rate 2.2 G.P.M(8.3L.P.M) at 60PSI
- ◆ cUPC-NSF61-9(ANSI/ASME A112.18.1, CSA B125.1) Approved
- ◆ 100% Factory Pressure Tested Before Shipment



Challenger

|            |  |
|------------|--|
| FA201230CP | Chrome, Metal Lever Handle, less Spray                           |
| FA201230BN | PVD Brushed Nickel, Metal Lever Handle, less Spray               |
| FA201230SS | PVD Stainless Steel, Metal Lever Handle, less Spray              |
| FA201235CP | Chrome, Metal Lever Handle, with Spray                           |
| FA201235BN | PVD Brushed Nickel, Metal Lever Handle, with Spray               |
| FA201235SS | PVD Stainless Steel, Metal Lever Handle, with Spray              |
| FA203235CP | Chrome, Metal Lever Handle, 3-Hole Mount with Spray              |
| FA203235BN | PVD Brushed Nickel, Metal Lever Handle, 3-Hole Mount with Spray  |
| FA203235SS | PVD Stainless Steel, Metal Lever Handle, 3-Hole Mount with Spray |



## Two Handle Kitchen Faucets

### FEATURES

- ◆ Fits 8" Centers
- ◆ All Brass Waterways
- ◆ Quarter Turn Washerless Cartridges
- ◆ Water Saving Aerator
- ◆ Max. Flow Rate 2.2 G.P.M(8.3 L.P.M) at 60PSI
- ◆ cUPC-NSF61-9(ANSI/ASME A112.18.1, CSA B125.1) Approved
- ◆ 100% Factory Pressure Tested Before Shipment



- FA202100CP Chrome,Acrylic Handle,less Spray
- FA202105CP Chrome,Acrylic Handle,with Spray
- FA202200CP Chrome,Mini Blade Handle,less Spray
- FA202205CP Chrome,Mini Blade Handle,with Spray
- FA202060CP Chrome,Lever Handle,less Spray
- FA202065CP Chrome,Lever Handle,with Spray



## Single Handle Tub & Shower Faucets

### FEATURES

- ◆ All Brass Waterways
- ◆ Stainless Steel Ball Cartridge
- ◆ Showerheads Max. Flow Rate 2.5 G.P.M (9.5 L.P.M) at 80PSI
- ◆ Brass Shower Arm & Flange
- ◆ Zinc Tub Spout, Min. Flow Rate 2.4 G.P.M (9.0 L.P.M) at 80PSI
- ◆ 1/2" Female Threaded Connections
- ◆ cUPC(ANSI/ASME A112.18.1,CSA B125.1) Approved
- ◆ 100% Factory Pressure Tested Before Shipment



### Tub & Shower Faucets

- FA301171CP      Chrome,Acrylic Handle  
FA301231CP      Chrome,Metal Lever Handle

### Shower Faucets

- FA301170CP      Chrome,Acrylic Handle  
FA301230CP      Chrome,Metal Lever Handle



## Two Handle Tub & Shower Faucets

### FEATURES

- ◆ Fits 8" Centers
- ◆ All Brass Waterways
- ◆ Quarter Turn Washerless Cartridges
- ◆ Showerheads Max. Flow Rate 2.5 G.P.M (9.5 L.P.M) at 80PSI
- ◆ Brass Shower Arm & Flange
- ◆ Zinc Tub Spout, Min. Flow Rate 4.0 G.P.M (15 L.P.M) at 80PSI
- ◆ Combination Unions for 1/2" Female Threaded & 1/2" Solder Connections
- ◆ cUPC(ANSI/ASME A112.18.1,CSA B125.1) Approved
- ◆ 100% Factory Pressure Tested Before Shipment



### Tub & Shower Faucets

- FA302101CP Chrome,Acrylic Handle  
FA302061CP Chrome,Lever Handle

### Shower Faucets

- FA302100CP Chrome,Acrylic Handle  
FA302060CP Chrome,Lever Handle





## Three Handle Tub & Shower Faucets

### FEATURES

- ◆ Fits 8" Centers
- ◆ All Brass Waterways
- ◆ Quarter Turn Washerless Cartridges
- ◆ Showerheads Max. Flow Rate 2.5 G.P.M (9.5 L.P.M) at 80PSI
- ◆ Brass Shower Arm & Flange
- ◆ Zinc Tub Spout, Min. Flow Rate 4.0 G.P.M (15 L.P.M) at 80PSI
- ◆ Combination Unions for 1/2" Female Threaded & 1/2" Solder Connections
- ◆ cUPC(ANSI/ASME A112.18.1,CSA B125.1) Approved
- ◆ 100% Factory Pressure Tested Before Shipment



FA303101CP      Chrome,Acrylic Handle  
FA303061CP      Chrome,Lever Handle







## Two Handle Bar/Utility Faucets

### FEATURES

- ◆ Fits 4" Centers
- ◆ All Brass Waterways
- ◆ Quarter Turn Washerless Cartridges
- ◆ Water Saving Aerator
- ◆ Max. Flow Rate 2.2 G.P.M(8.3 L.P.M) at 60PSI
- ◆ cUPC-NSF61-9(ANSI/ASME A112.18.1, CSA B125.1) Approved
- ◆ 100% Factory Pressure Tested Before Shipment



- FA401100CP Chrome,Acrylic Handle
- FA401060CP Chrome,Lever Handle
- FA401270CP Chrome,ADA Blade Handle

※Various Surface Finishes,Handles,Options are available.Custom-Designs are welcome

## Two Handle Laundry Faucets

### FEATURES

- ◆ Fits 4" Centers
- ◆ All Brass Waterways
- ◆ Quarter Turn Washerless Cartridges
- ◆ 6" Tubular Spout with 3/4" Hose End
- ◆ Max. Flow Rate 2.2 G.P.M(8.3 L.P.M) at 60PSI
- ◆ cUPC(ANSI/ASME A112.18.1, CSA B125.1) Approved
- ◆ 100% Factory Pressure Tested Before Shipment



FA402100CP    Chrome,Acrylic Handle  
FA402060CP    Chrome,Lever Handle



Challenger



## COMPASS ASIA INC.

---

11th Fl., No. 165, Sec. 4, Nanjing E. Road,  
Taipei 105, Taiwan  
Tel: 886-2-2713 1568 Fax: 886-2-2713 6878  
[www.compassasia.com](http://www.compassasia.com)