

# Deluxe Collection













www.compassasia.com







## **Single Handle Lavatory Faucets**

#### **FEATURES**

- ◆ Fits 4" Centers
- ◆ All Brass Waterways
- ◆ Ceramic Cartridge
- ◆ Water Saving Aerator
- ◆ Max. Flow Rate 2.2 G.P.M(8.3 L.P.M) at 60PSI
- ◆ cUPC-NSF61-9(ANSI/ASME A112.18.1, CSA B125.1) Approved
- ♦ 100% Factory Pressure Tested Before Shipment







FC101050CP	Chrome, Lever Handle, less Pop-up
FC101052CP	Chrome, Lever Handle, with 50/50 Pop-up
FC101053CP	Chrome, Lever Handle, with Brass Pop-up
FC101052PB	PVD Polished Brass, Lever Handle, with 50/50 Pop-up
FC10152XBN	PVD Brushed Nickel, Lever Handle, with Brass Pop-up
FC101040CP	Chrome, Loop Lever Handle,less Pop-up
FC101042CP	Chrome, Loop Lever Handle, with 50/50 Pop-up
FC101043CP	Chrome, Loop Lever Handle, with Brass Pop-up
FC101042PB	PVD Plished Brass, Loop Lever Handle, with 50/50 Pop-up
FC101043BN	PVD Brush Nickel, Loop lever Handle, with Brass Pop-up
FC101460CP	Chrome,Acrylic Handle,less Pop-up
FC101462CP	Chrome, Acrylic Handle, with 50/50 Pop-up
FC101463CP	Chrome, Acrylic Handle, with Brass Pop-up
FC101462PB	PVD Plished Brass, Acrylic Handle, with 50/50 Pop-up
FC101463BN	PVD Brush Nickel, Acrylic Handle, with Brass Pop-up










- ◆ Fits 4" Centers
- ◆ All Brass Waterways
- ◆ Quarter Turn Ceramic Cartridges
- ◆ Water Saving Aerator
- ◆ Max. Flow Rate 2.2 G.P.M(8.3 L.P.M) at 60PSI
- ◆ cUPC-NSF61-9(ANSI/ASME A112.18.1, CSA B125.1) Approved
- ◆ 100% Factory Pressure Tested Before Shipment

















#### **FEATURES**

- ◆ Fits 8" Centers
- ◆ All Brass Waterways
- Ceramic Cartridge
- Water Saving Aerator
- ◆ Max. Flow Rate 2.2 G.P.M(8.3 L.P.M) at 60PSI
- ◆ cUPC-NSF61-9(ANSI/ASME A112.18.1, CSA B125.1) Approved
- ◆ 100% Factory Pressure Tested Before Shipment















#### **Two Handle Kitchen Faucets**

#### **FEATURES**

- ◆ Fits 8" Centers
- ◆ All Brass Waterways
- ♦ Hi-Rise Spout
- Quarter Turn Ceramic Cartridge
- ◆ Water Saving Aerator
- ◆ Max. Flow Rate 2.2 G.P.M(8.3 L.P.M) at 60PSI
- ◆ cUPC-NSF61-9(ANSI/ASME A112.18.1, CSA B125.1) Approved
- ♦ 100% Factory Pressure Tested Before Shipment















### Two Handle Bar/Utility Faucets

#### **FEATURES**

- ◆ Fits 4" Centers
- ◆ All Brass Waterways
- ◆ Quarter Turn Ceramic Cartridges
- ◆ Water Saving Aerator
- ♠ Max. Flow Rate 2.2 G.P.M(8.3 L.P.M) at 60PSI
- ◆ cUPC-NSF61-9(ANSI/ASME A112.18.1, CSA B125.1) Approved
- ♦ 100% Factory Pressure Tested Before Shipment







FC401330CP Chrome, Lever Handle

FC401330BN PVD Brushed Nickel,Lever Handle FC401330SS PVD Stainless Steel,Lever Handle





# COMPASS ASIA INC.

11th Fl., No. 165, Sec. 4, Nanjing E. Road, Taipei 105, Taiwan

Tel: 886-2-2713 1568 Fax: 886-2-2713 6878

www.compassasia.com