

**Pressure Balancing Tub & Shower Faucets**  
Collection





## Pressure Balancing Tub & Shower Faucets with Ceramic Cartridge

### FEATURES

- ◆ Scald Guard
- ◆ Temperature Limit Stop
- ◆ Maintains Water Temperature within  $\pm 3^{\circ}\text{F}$
- ◆ Bronze Valve Body
- ◆ Ceramic Cartridge
- ◆ Integral Stops
- ◆ Showerheads Max.Flow Rate 2.5 G.P.M (9.5 L.P.M) at 80PSI
- ◆ Zinc Tub Spout, Min. Flow Rate 4.0 G.P.M (15 L.P.M) at 80PSI
- ◆ cUPC(ANSI/ASME A112.18.1,CSA B125.1), ASSE 1016 Approved



FC372541CP	Chrome,Loop Lever Handle,1/2" Threaded
FC372541PB	PVD Polished Brass,Loop Lever Handle,1/2" Threaded
FC372541BN	PVD Brushed Nickel,Loop Lever Handle,1/2" Threaded
FC373541CP	Chrome,Loop Lever Handle,1/2" Solder
FC373541PB	PVD Polished Brass,Loop Lever Handle,1/2" Solder
FC373541BN	PVD Brushed Nickel,Loop Lever Handle,1/2" Solder
FC372291CP	Chrome,Lever Handle,1/2" Threaded
FC372291PB	PVD Polished Brass,Lever Handle,1/2" Threaded
FC372291BN	PVD Brushed Nickel,Lever Handle,1/2" Threaded
FC373291CP	Chrome,Lever Handle,1/2" Solder
FC373291PB	PVD Polished Brass,Lever Handle,1/2" Solder
FC373291BN	PVD Brushed Nickel,Lever Handle,1/2" Solder
FC372571CP	Chrome,Brass Lever Handle,1/2" Threaded
FC372571PB	PVD Polished Brass,Brass Lever Handle,1/2" Threaded
FC372571BN	PVD Brushed Nickel,Brass Lever Handle,1/2" Threaded
FC374571ORB	Oil Rubbed Bronze,Brass Lever Handle, Brass Shower Head,1/2" Threaded
FC373571CP	Chrome,Brass Lever Handle,1/2" Solder
FC373571PB	PVD Polished Brass,Brass Lever Handle,1/2" Solder
FC373571BN	PVD Brushed Nickel,Brass Lever Handle,1/2" Solder
FC375571ORB	Oil Rubbed Bronze,Brass Lever Handle, Brass Shower Head,1/2" Solder
FC372581CP	Chrome,Scroll Handle,1/2" Threaded
FC372581PB	PVD Polished Brass,Scroll Handle,1/2" Threaded
FC372581BN	PVD Brushed Nickel,Scroll Handle,1/2" Threaded
FC374581ORB	Oil Rubbed Bronze,Scroll Handle, Brass Shower Head,1/2" Threaded
FC373581CP	Chrome,Scroll Handle-1/2" Solder
FC373581PB	PVD Polished Brass,Scroll Handle,1/2" Solder
FC373581BN	PVD Brushed Nickel,Scroll Handle,1/2" Solder
FC375581ORB	Oil Rubbed Bronze Scroll Handle, Brass Shower Head,1/2" Solder



## Pressure Balancing Tub & Shower Faucets with Washerless Cartridge

### FEATURES

- ◆ Scald Guard
- ◆ Temperature Limit Stop
- ◆ Maintains Water Temperature within  $\pm 3^{\circ}\text{F}$
- ◆ Bronze Valve Body
- ◆ Washerless Cartridge
- ◆ Integral Stops
- ◆ Showerheads Max.Flow Rate 2.5 G.P.M (9.5 L.P.M) at 80PSI
- ◆ Zinc Tub Spout, Min. Flow Rate 4.0 G.P.M (15 L.P.M) at 80PSI
- ◆ Back-to-Back Installations
- ◆ cUPC(ANSI/ASME A112.18.1, CSA B125.1), ASSE1016 Approved



FA370521CP	Chrome,Acrylic Handle,1/2" Threaded
FA370521PB	PVD Polished Brass,Acrylic Handle,1/2" Threaded
FA370521BN	PVD Brushed Nickel,Acrylic Handle,1/2" Threaded
FA371521CP	Chrome,Acrylic Handle,1/2" Solder
FA371521PB	PVD Polished Brass,Acrylic Handle,1/2" Solder
FA371521BN	PVD Brushed Nickel,Acrylic Handle,1/2" Solder
FA372531CP	Chrome,Lever Handle,1/2" Threaded
FA372531PB	PVD Polished Brass,Lever Handle,1/2" Threaded
FA372531BN	PVD Brushed Nickel,Lever Handle,1/2" Threaded
FA373531CP	Chrome,Lever Handle,1/2" Solder
FA373531PB	PVD Polished Brass,Lever Handle,1/2" Solder
FA373531BN	PVD Brushed Nickel,Lever Handle,1/2" Solder
FA372551CP	Chrome,Brass Lever Handle,1/2" Threaded
FA372551PB	PVD Polished Brass,Brass Lever Handle,1/2" Threaded
FA372551BN	PVD Brushed Nickel,Brass Lever Handle,1/2" Threaded
FA374551ORB	Oil Rubbed Bronze,Brass Lever Handle, Brass Shower Head,1/2" Threaded
FA373551CP	Chrome,Brass Lever Handle,1/2" Solder
FA373551PB	PVD Polished Brass,Brass Lever Handle,1/2" Solder
FA373551BN	PVD Brushed Nickel,Brass Lever Handle,1/2" Solder
FA375551ORB	Oil Rubbed Bronze,Brass Lever Handle, Brass Shower Head,1/2" Solder
FA372561CP	Chrome,Scroll Handle,1/2" Threaded
FA372561PB	PVD Polished Brass,Scroll Handle,1/2" Threaded
FA372561BN	PVD Brushed Nickel,Scroll Handle,1/2" Threaded
FA374561ORB	Oil Rubbed Bronze,Scroll Handle, Brass Shower Head,1/2" Threaded
FA373561CP	Chrome,Scroll Handle,1/2" Solder
FA373561PB	PVD Polished Brass,Scroll Handle,1/2" Solder
FA373561BN	PVD Brushed Nickel,Scroll Handle,1/2" Solder
FA375561ORB	Oil Rubbed Bronze,Scroll Handle, Brass Shower Head,1/2"Solder





## Pressure Balancing Valves with Ceramic Cartridge

### FEATURES

- ◆ Scald Guard
- ◆ Temperature Limit Stop
- ◆ Maintains Water Temperature within  $\pm 3^{\circ}\text{F}$
- ◆ Forged Brass Body
- ◆ Ceramic Cartridge
- ◆ cUPC(ANSI/ASME A112.18.1, CSA B125.1), ASSE 1016 Approved,



FC300CTCP	Chrome, 1/2" Threaded
FC300CTPB	PVD Polished Brass, 1/2" Threaded
FC300CTBN	PVD Brushed Nickel, 1/2" Threaded
FC300CTORB	Oil Rubbed Bronze, 1/2" Threaded
FC300CSCP	Chrome, 1/2" Solder
FC300CSPB	PVD Polished Brass, 1/2" Solder
FC300CSBN	PVD Brushed Nickel, 1/2" Solder
FC300CSORB	Oil Rubbed Bronze, 1/2" Solder

※ Various Surface Finishes, Handles, Options are available. Custom-Designs are welcome



## Pressure Balancing Valves with Stops & Ceramic Cartridge

### FEATURES

- ◆ Scald Guard
- ◆ Temperature Limit Stop
- ◆ Maintains Water Temperature within  $\pm 3^{\circ}\text{F}$
- ◆ Bronze Body
- ◆ Ceramic Cartridge
- ◆ Integral Stops
- ◆ cUPC(ANSI/ASME A112.18.1, CSA B125.1), ASSE 1016 Approved



FC30SCTCP	Chrome, 1/2" Threaded
FC30SCTPB	PVD Polished Brass, 1/2" Threaded
FC30SCTBN	PVD Brushed Nickel, 1/2" Threaded
FC30SCTORB	Oil Rubbed Bronze, 1/2" Threaded
FC30SCSCP	Chrome, 1/2" Solder
FC30SCSPB	PVD Polished Brass, 1/2" Solder
FC30SCSBN	PVD Brushed Nickel, 1/2" Solder
FC30SCSORB	Oil Rubbed Bronze, 1/2" Solder

※ Various Surface Finishes, Handles, Options are available. Custom-Designs are welcome



## Pressure Balancing Valves with Washerless Cartridge

### FEATURES

- ◆ Scald Guard
- ◆ Temperature Limit Stop
- ◆ Maintains Water Temperature within  $\pm 3^{\circ}\text{F}$
- ◆ Forged Brass Body
- ◆ Washerless Cartridge
- ◆ Back-to-Back Installations
- ◆ cUPC(ANSI/ASME A112.18.1, CSA B125.1), ASSE1016 Approved



FA300WTCP	Chrome, 1/2" Threaded
FA300WTPB	PVD Polished Brass, 1/2" Threaded
FA300WTBN	PVD Brushed Nickel, 1/2" Threaded
FA300WTORB	Oil Rubbed Bronze, 1/2" Threaded
FA300WSCP	Chrome, 1/2" Solder
FA300WSPB	PVD Polished Brass, 1/2" Solder
FA300WSBN	PVD Brushed Nickel, 1/2" Solder
FA300WSORB	Oil Rubbed Bronze, 1/2" Solder



## Pressure Balancing Valves with Stops & Washerless Cartridge

### FEATURES

- ◆ Scald Guard
- ◆ Temperature Limit Stop
- ◆ Maintains Water Temperature within  $\pm 3^{\circ}\text{F}$
- ◆ Bronze Body
- ◆ Washerless Cartridge
- ◆ Integral Stops
- ◆ Back-to-Back Installations
- ◆ cUPC(ANSI/ASME A112.18.1, CSA B125.1), ASSE1016 Approved



FA30SWTCP	Chrome, 1/2" Threaded
FA30SWTPB	PVD Polished Brass, 1/2" Threaded
FA30SWTBN	PVD Brushed Nickel, 1/2" Threaded
FA30SWTORB	Oil Rubbed Bronze, 1/2" Threaded
FA30SWSCP	Chrome, 1/2" Solder
FA30SWSPB	PVD Polished Brass, 1/2" Solder
FA30WSBN	PVD Brushed Nickel, 1/2" Solder
FA30WSORB	Oil Rubbed Bronze, 1/2" Solder



## Shower Trim Kits For Pressure Balancing Valves-Ceramic Cartridge



FC306540CP	Chrome,Loop Lever Handle
FC306540PB	PVD Polished Brass,Loop Lever Handle
FC306540BN	PVD Brushed Nickel,Loop Lever Handle
FC307540ORB	Oil Rubbed Bronze,Loop Lever Handle, Brass Shower Head
FC306570CP	Chrome,Brass Lever Handle
FC306570PB	PVD Polished Brass,Brass Lever Handle
FC306570BN	PVD Brushed Nickel ,Brass Lever Handle
FC307570ORB	Oil Rubbed Bronze,Brass Lever Handle, Brass Shower Head
FC306580CP	Chrome,Scroll Handle
FC306580PB	PVD Polished Brass,Scroll Handle
FC306580BN	PVD Brushed Nickel,Scroll Handle
FC307580ORB	Oil Rubbed Bronze,Scroll Handle, Brass Shower Head
FC306290CP	Chrome,Lever Handle
FC306290PB	PVD Polished Brass,Lever Handle
FC306290BN	PVD Brushed Nickel,Lever Handle
FC307290ORB	Oil Rubbed Bronze,Lever Handle, Brass Shower Head





## Tub & Shower Trim Kits For Pressure Balancing Valves-Ceramic Cartridge



FC306541CP	Chrome,Loop Handle
FC306541PB	PVD Polished Brass,Loop LeverHandle
FC306541BN	PVD Brushed Nickel,LoopLever Handle
FC307541ORB	Oil Rubbed Bronze,Loop LeverHandle, Brass Shower Head
FC306571CP	Chrome,Brass Lever Handle
FC306571PB	PVD Polished Brass,Brass Lever Handle
FC306571BN	PVD Brushed Nickel,Brass Lever Handle
FC307571ORB	Oil Rubbed Bronze,Brass Lever Handle, Brass Shower Head
FC306581CP	Chrome,Scroll Handle
FC306581PB	PVD Polished Brass,Scroll Handle
FC306581BN	PVD Brushed Nickel ,Scroll Handle
FC307581ORB	Oil Rubbed Bronze,Scroll Handle, Brass Shower Head
FC306291CP	Chrome,Lever Handle
FC306291PB	PVD Polished Brass,Lever Handle
FC306291BN	PVD Brushed Nickel,Lever Handle
FC307291ORB	Oil Rubbed Bronze,Lever Handle, Brass Shower Head



## Shower Trim Kits For Pressure Balancing Valves-Washerless Cartridge



FA304520CP	Chrome,Acrylic Handle
FA304520PB	PVD Polished Brass,Acrylic Handle
FA304520BN	PVD Brushed Nickel ,Acrylic Handle
FA304530CP	Chrome,Lever Handle
FA304530PB	PVD Polished Brass,Lever Handle
FA304530BN	PVD Brushed Nickel,Lever Handle
FA305530ORB	Oil Rubbed Bronze,Lever Handle, Brass Shower Head
FA304550CP	Chrome,Brass Lever Handle
FA304550PB	PVD Polished Brass,Brass Lever Handle
FA304550BN	PVD Brushed Nickel,Brass Lever Handle
FA305550ORB	Oil Rubbed Bronze,Brass Lever Handle, Brass Shower Head
FA304560CP	Chrome,Scroll Handle
FA304560PB	PVD Polished Brass,Scroll Handle
FA304560BN	PVD Brushed Nickel,Scroll Handle
FA305560ORB	Oil Rubbed Bronze,Scroll Handle, Brass Shower Head



## Tub & Shower Trim Kits For Pressure Balancing Valves- Washerless Cartridge



FA304521CP	Chrome,Acrylic Handle
FA304521PB	PVD Polished,Acrylic Handle
FA304521BN	PVD Brushed Nickel,Acrylic Handle
FA304531CP	Chrome,Lever Handle
FA304531PB	PVD Polished Brass,Lever Handle
FA304531BN	PVD Brushed Nickel ,Lever Handle
FA305531ORB	Oil Rubbed Bronze,Lever Handle, Brass Shower Head
FA304551CP	Chrome,Brass Lever Handle
FA304551PB	PVD Polished Brass ,Brass Lever Handle
FA304551BN	PVD Brushed Nickel ,Brass Lever Handl
FA305551ORB	Oil Rubbed Bronze,Brass Lever Handle, Brass Shower Head
FA304561CP	Chrome,Scroll Handle
FA304561PB	PVD Polished Brass,Scroll Handle
FA304561BN	PVD Brushed Nickel,Scroll Handle
FA305561ORB	Oil Rubbed Bronze,Scroll Handle, Brass Shower Head





## COMPASS ASIA INC.

---

11th Fl., No. 165, Sec. 4, Nanjing E. Road,  
Taipei 105, Taiwan  
Tel: 886-2-2713 1568 Fax: 886-2-2713 6878  
[www.compassasia.com](http://www.compassasia.com)